

TEST REPORT

No.: AJFTS25008126R01_EN

Date: Dec 03,2025

Page 1 of 9

LANGFANG LIUTAI FURNITURE CO, LTD

NO 85 ZHONGYONG STREET, XIN AN TOWN, BAZHOU LANGFANG CITY HEBEI PROVINCE, CHINA

Sample Description : BED
Style/Item No. : LT-148
Agent : LANGFANG LIUTAI FURNITURE CO, LTD
P.O./Ref No. : LT25-01
Supplier : LANGFANG LIUTAI FURNITURE CO, LTD
Manufacturer : LANGFANG LIUTAI FURNITURE CO, LTD
Country of Origin : CHINA
Country of Destination : UK

The above sample(s) data and information was / were submitted and identified on behalf of the client. SGS is not responsible for the authenticity, integrity and results of the data and information and / or the validity of the conclusion arising therefrom. Results apply to the sample as received.

SGS Ref. No. : TJHL2510009409FT
Sample Receiving Date : Nov 21,2025
Testing Period : Nov 21,2025 to Nov 28, 2025
Test Required : BS 7177:2008 + A1:2011 Specification for resistance to ignition of mattresses, mattress pads, divans and bed bases, Low Hazard (domestic use).
Test result(s) : See attached sheet
Conclusion : The tested sample **meets** the ignition resistance performance requirements of Low Hazard of BS 7177:2008 + A1:2011.

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd Anji Branch



Echo Li
Approved signatory

Verification:
check.sgsonline.com.cn

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn
中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 sgs.china@sgs.com

TEST REPORT
No.: AJFTS25008126R01_EN
Date: Dec 03,2025
Page 2 of 9

Test Conducted: BS 7177:2008 + A1:2011 Specification for resistance to ignition of mattresses, mattress pads, divans and bed bases, Low hazard (domestic use).

Clause	Principle /requirement		Result
4	<u>Performance requirements for resistance to ignition</u>		
	<u>4.1 Ignitability</u>		
	4.1.1	<u>Composite test</u> 1) Smouldering cigarette test of BS EN 597-1:1995. 2) Match flame equivalent test of BS EN 597-2:1995.	See Annex I Pass* Pass*
	4.1.2	<u>Filling material test</u> All filling materials, including those used in mattress pads, shall pass the relevant test contained in the annexes given in Table 2.	See Annex II Pass
	4.2	<u>Durability of treatment</u> All outer covers and inner covers intended for high or very high hazard categories in Table 1 that have been chemically treated to reduce their ignitability shall be subjected to the water soaking and drying procedure specified in BS 5852:2006, Annex E prior to being conditioned.	NA
5	<u>Sampling and frequency of testing</u> A sample of each mattress, mattress pad, divan or bed base specification (ignoring differing spring types) shall be tested at the frequency specified in Table 3. Retesting shall be carried out where there is any major basic alteration to a specification		NC
6	<u>Labeling and Identification</u> Each mattress, upholstered mattress pad, divan or bed base shall carry a permanently attached and clearly readable label. The size of the graphic part of the label shall be not less than 50 mm x 50 mm. The base colour of the label shall be white with a blue border. The word "RESISTANT" shall appear on the border and shall be white and of minimum height 5 mm. A smouldering cigarette symbol, flame symbol and the ignition source number(s) shall appear in the central white area and shall be black. Information defining additional tests shall be included on the label for very high hazard mattresses and upholstered mattress pads. The following wording shall appear on the label: "Conforms to BS 7177:2008 for domestic use (low hazard)".		NP

Remark: NA = Not applicable; NC = Not conducted; NP - Not provided

Remark with *: As per client's request, the top surface of mattress was tested only.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_DocCheck@sgs.com

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn
中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 sgs.china@sgs.com

TEST REPORT

No.: AJFTS25008126R01_EN

Date: Dec 03,2025

Page 3 of 9

Test Specimen

Description	Bed
Color	Grey
Both surfaces are	<input checked="" type="checkbox"/> Different; <input type="checkbox"/> Identical
Size of sample	455 mm × 455 mm × 40 mm
Sample type	<input checked="" type="checkbox"/> Small scale; <input type="checkbox"/> Full size

Conditioning

Prior to testing, the specimens were conditioned at least 72 h in indoor ambient conditions and then immediately before the test for at least 16 h in an atmosphere having a temperature of $23\pm2^{\circ}\text{C}$ and a relative humidity of $50\pm5\%$.

Annex I: Composite Test

These tests are conducted in accordance with low hazard of BS 7177:2008 + A1:2011, and the test methods are based on BS EN 597-1 & 2:1995.

Test Results

The following test results relate only to the ignitability of the sample or combination of materials under the particular condition of test. They are not intended as a means of assessing the full potential fire hazard of the materials or products in use.

1) BS EN 597-1:1995 Furniture – Assessment of the ignitability of mattresses and upholstered bed bases Part 1, Ignition source: smouldering cigarette.

Clause 3.1 Progressive smouldering ignition	1 st	2 nd
For the purpose of this standard, all the following types of behaviour are considered to be progressive smouldering ignition		
3.1 a) Any test specimen that displays escalating combustion behaviour is observed so it is unsafe to continue the test and active extinction is necessary;	No	No
3.1 b) Any test specimen that smoulders until it is essentially consumed within the test duration.	No	No
3.1 c) Any test specimen that smoulders to its full thickness within the duration of the test.	No	No
3.1 d) Any test specimen that smoulders for more than one hour.	No	No
3.1 e) On final examination (9.3), show evidence of charring more than 50mm in any horizontal direction from the nearest point of the original position of the source.	No	No

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

TEST REPORT
No.: AJFTS25008126R01_EN
Date: Dec 03,2025
Page 4 of 9

Clause 3.2 Flaming ignition	1 st	2 nd
A flaming ignition is considered to be the occurrence of any flames initiated by a progressive smouldering source	No	No

Detailed Results

Test No.		1 st			2 nd		
Testing position		a	--	--	a	--	--
Progressive smouldering (PS) or Flaming (F)		No	--	--	No	--	--
Duration of	Ignition source (min, s)	20min45s	--	--	21min12s	--	--
	Flames (min, s)	0s	--	--	0s	--	--
	Smoke (min, s)	20min54s	--	--	21min20s	--	--
Extent of damage	Width (mm)	10	--	--	11	--	--
	Length (mm)	69	--	--	70	--	--
	Depth (mm)	4	--	--	5	--	--
Final examination of progressive smouldering (9.3)		No	--	--	No	--	--
Comments & observations		--	--	--	--	--	--
Result (NI-Non-ignition/I-Ignition)		NI	--	--	NI	--	--

Overall Result: [] Non-ignition; [] Smouldering ignition; [] Flaming ignition.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn
 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 sgs.china@sgs.com

TEST REPORT
No.: AJFTS25008126R01_EN
Date: Dec 03,2025
Page 5 of 9

2) BS EN 597-2 :1995 Furniture – Assessment of the ignitability of mattresses and upholstered bed bases
 Part 2 Ignition source: match flame equivalent (15±1s)

Clause 3.1 Progressive Smouldering ignition	1 st	2 nd
For the purpose of this standard, all the following types of behaviour are considered to be progressive smouldering ignition		
3.1 a) Any test specimen that displays escalating combustion behaviour is observed so it is unsafe to continue the test and active extinction is necessary.	No	No
3.1 b) Any test specimen smoulders until it is essentially consumed within the test duration.	No	No
3.1 c) Any test specimen that smoulders to its full thickness within the duration of the test.	No	No
3.1 d) Any test specimen that smoulders for more than one hour.	No	No
3.1 e) If charring more than 50mm in any horizontal direction.	No	No

Clause 3.2 Flaming ignition	1 st	2 nd
For the purpose of this standard, all the following types of behaviour are considered to be flaming ignition		
3.2 a) Any test specimen that escalating combustion behaviour is observed so it is unsafe to continue the test and active extinction is necessary.	No	No
3.2 b) Any test specimen that burns until it is essentially consumed within the test duration.	No	No
3.2 c) Any test specimen on which any flame front reaches its extremities or pass through its full thickness within the duration of the test.	No	No
3.2 d) Any test specimen that flaming continues to more than 120s after removal of the burner tube.	No	No

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn
 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 sgs.china@sgs.com

TEST REPORT
No.: AJFTS25008126R01_EN
Date: Dec 03,2025
Page 6 of 9
Detailed Results

Test No.		1 st			2 nd		
Testing position		a	--	--	a	--	--
Progressive smouldering (PS) or Flaming (F)	No	--	--	--	No	--	--
Duration of	Ignition source (min, s)	15s	--	--	15s	--	--
	Flames (min, s)	0s	--	--	0s	--	--
	Smoke (min, s)	23s	--	--	24s	--	--
Extent of damage	Width (mm)	13	--	--	15	--	--
	Length (mm)	20	--	--	25	--	--
	Depth (mm)	7	--	--	7	--	--
Final examination of progressive smouldering (9.3)	No	--	--	--	No	--	--
Comments & observations	--	--	--	--	--	--	--
Result (NI-Non-ignition/I-Ignition)	NI	--	--	--	NI	--	--

Overall Result: [✓] Non-ignition; [] Smouldering ignition; [] Flaming ignition.

Remark: a - flat portion of upper surface

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn
 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 sgs.china@sgs.com

TEST REPORT

No.: AJFTS25008126R01_EN

Date: Dec 03,2025

Page 7 of 9

Annex II: Filling Material Test

The Furniture and Furnishings (Fire) (Safety) Regulations 1988 S.I. No. 1324 (amended 1989, 1993, 2010 and 2025), Schedule 1 Part I. Crib 5 test (Ignition Source 5) of BS 5852 Part 2:1982.

Test Specimen

Sample description	Foam
Color	White
Density (kg/m ³)	40.0 kg/m ³

(A) Progressive smouldering

Criteria of failure (Clause 4.1 of BS 5852 part 2:1982)	1 st	2 nd
4.1 b) – Any composite that product externally detectable amounts of smoke, heat or glow 60 min after ignition of the crib.	No	No
4.1 c) – Any composite that displays escalating combustion behaviour so that it is unsafe to continue the test and requires forcible extinction.	No	No
4.1 d) – Any composite that smoulders until it is essentially consumed within the test duration relevant to the source	No	No
4.1 e) – Any composite that smoulders to the extremities of the specimen viz. upper or lower margins, either side or to its full thickness, within the duration of the test.	No	No
4.1 f) – Any composite that, on the final examination, shows evidence of charring other than discolouration, more than 100 mm in any direction apart from upwards from the nearest part of the original position of the source.	No	No

(B) Flaming

Criteria of failure (Clause 4.2 of BS 5852 part 2:1982)	1 st	2 nd
4.2 b) – Any composite that continues to flame for more than 10 minutes after the ignition of the crib.	No	No
4.2 d) – Any composite that displays escalating combustion behaviour so that it is unsafe to continue the test and forcible extinction is required.	No	No
4.2 e) – Any composite that burns until it is essentially consumed within the test duration relevant to the source.	No	No
4.2 f) – Any composite on which any flame front reaches the lower margin, either side or passes through the full thickness of the specimen within the duration of the test.	Yes	Yes

(C) Mass Loss

Criteria (Clause 5 in Schedule 1 of UK Regulations)	1 st	2 nd
If failure against the criteria of clause 4 of BS 5852:Part 2 has occurred but only by way of damage exceeding the limits defined in clause 4.1(e), 4.1(f) and 4.2(f) and provided that the resultant mass loss is less than 60g the foam passes the ignitability test.	<60 g	<60 g

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn
中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 sgs.china@sgs.com

TEST REPORT
No.: AJFTS25008126R01_EN
Date: Dec 03,2025
Page 8 of 9
Detailed Results

Test No.		1 st	2 nd
Progressive smouldering (PS) or Flaming (F)		No	No
Duration of	Ignition source (min, s)	2 min 39 s	2 min 45 s
	Flames (min, s)	3 min 24 s	3 min 40 s
	Smoke (min, s)	4 min 30 s	4 min 32 s
Extent of damage of horizontal component	Foam - Width (mm)	134	140
	Foam - Length (mm)	174	182
	Foam - Depth (mm)	Through	Through
Extent of damage of vertical component	Foam - Width (mm)	121	128
	Foam - Depth (mm)	48	51
Damage exceeds limits of clauses 4.1(e), 4.1(f) or 4.2(f)		Yes, 4.2(f)	Yes, 4.2(f)
Initial weight before test (g)		6158	6172
Final weight after test (g)		6130	6140
Resultant mass loss (g)		28	32
Reason for failure (Ref to failure code)		---	---
Final examination of progressive smouldering (9.4)		No	No
Comments & observations		---	---
Overall result		Pass	Pass

Overall Result: [] Pass, [] Fail

Statement: The decision rules for statements of conformity (Pass/Fail) have been applied to any results that results in a numerical value and are based on the probability conformance of 95% (UKAS LAB 48) agreed with the customer at the contract review stage.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com


TEST REPORT

No.: AJFTS25008126R01_EN

Date: Dec 03,2025

Page 9 of 9

Photo Appendix:



SGS authenticate the photo on original report only

End of Report

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



SGS-CSTC
Anji Branch
Inspection & Testing Services
Technical Service Co., Ltd.

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn
中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编: 313300 t (86-572) 5018825 f (86-572) 5018829 sgs.china@sgs.com